




7 Survey on Poly-Cystic Ovary Syndrome

President : Dr Alpesh Gandhi
Secretary General : Dr Jaydeep Tank
Survey Co-Ordinators : Dr Punit Bhojani, Dr Nilesh Balkawade, Dr Sebanti Goswami

Analysis of the responses:


Q1. What is the approximate prevalence (frequency) of Polycystic Ovary Syndrome in your practice ?

946 responses




Q2. What is the commonest age group which presents with symptoms of PCOS?

946 responses




Q3. With what symptoms do patients of PCOS present to you ?

946 responses




Q.4. In your practice which type of PCOS patient is more common ?

946 responses




Q5. Do you routinely advise FSH,LH & Testosterone levels for PCOS patients:

946 responses




Q6. Do you routinely use pelvic ultrasonography in the diagnostic criteria for PCOS?

946 responses




Q7. Do you routinely use Anti-Müllerian Hormone for the diagnosis of PCOS?

946 responses




Q8. Do you advise serum insulin levels for PCOS?

946 responses




Q9. Do you measure BMI & check for acanthosis nigricans ?

946 responses




Q10. Do you prescribe insulin sensitizers ?

946 responses




Q11. Preferred insulin sensitizer :

946 responses




Q12. Preferred treatment for PCOS with acne & hirsutism:

946 responses



Q13. Preferred drug of choice for ovulation induction in PCOS :

946 responses



Q14. How many patients are resistant to oral ovulation induction(Non responders) ?

946 responses

